| Ref # | Hits | Search Query | DBs | Default Operator | Plurals | Time Stamp |
|----------|------|--|--|---------------------|---------|------------------|
| L2 | 117 | ((writ\$3 OR stor\$3) near3 (error\$1 OR fault\$3)) SAME ((rewrit\$3 OR retrying OR retr\$3) near5 (logical ADJ block ADJ (address\$3 OR number\$1) OR LBA\$1 OR block ADJ number\$1 OR address OR (sector near2 (number\$1 OR address\$1)))) | US-PGPUB; USPAT; DERWENT; IBM_TDB | OR | ON | 2006/06/22 07:50 |
| L3 | 35 | ((writ\$3 OR stor\$3) near3 (error\$1 OR fault\$3)) near5 ((rewrit\$3 OR retrying OR retr\$3) near5 (logical ADJ block ADJ (address\$3 OR number\$1) OR LBA\$1 OR block ADJ number\$1 OR address OR (sector near2 (number\$1 OR address\$1)))) | US-PGPUB; USPAT; DERWENT; IBM_TDB | OR | ON | 2006/06/22 07:50 |
| L4 | 12 | ((writ\$3 OR stor\$3) near2 (error\$1 OR fault\$3)) SAME ((rewrit\$3 OR retrying OR retr\$3) near3 (writ\$3 OR stor\$3 OR comand OR instruction OR request) near3 (address OR block ADJ number\$1)) | US-PGPUB; USPAT; DERWENT; IBM_TDB | OR | ON | 2006/06/22 08:01 |
| L5 | 6 | ((writ\$3 OR stor\$3) near3 (instruction\$1 OR command\$1 OR request\$3)) near3 (write ADJ once ADJ read ADJ many OR WORM\$1 OR read ADJ only OR write ADJ prohibit\$3) ADJ (bit\$1 OR byte\$1) | US-PGPUB; USPAT; DERWENT; IBM_TDB | OR | ON | 2006/06/22 08:41 |
| L6 | 40 | ((writ\$3 OR stor\$3) near3 (instruction\$1 OR command\$1 OR request\$3)) near3 (write ADJ once ADJ read ADJ many OR WORM\$1 OR read ADJ only OR write ADJ prohibit\$3) near3 (bit\$1 OR byte\$1) | US-PGPUB; USPAT; DERWENT; IBM_TDB | OR | ON | 2006/06/22 08:42 |
| S1 | 3 | (("6272086") or ("5233576") or ("4167765")).PN. | US-PGPUB; USPAT | OR | OFF | 2006/06/07 12:04 |

| | | | , | | | |
|----|------|---|--|----|-----|------------------|
| S2 | 50 | (US-5438674-\$ or US-5455926-\$ or US-5790491-\$ or US-4947367-\$ or US-5313320-\$ or US-5392262-\$ or US-5420834-\$ or US-5450383-\$ or US-5602814-\$ or US-4807205-\$ or US-5347651-\$ or US-5757751-\$ or US-6000020-\$ or US-6005817-\$ or US-6082622-\$ or US-6088319-\$ or US-6115344-\$ or US-6181177-\$ or US-4599667-\$ or US-4759890-\$ or US-4773766-\$ or US-4792937-\$ or US-4792937-\$ or US-4792937-\$ or US-4965784-\$ or US-4956768-\$ or US-4965784-\$ or US-4965782-\$ or US-496136-\$). did. or (US-4809099-\$ or US-4965782-\$ or US-496136-\$ or US-4965782-\$ or US-496136-\$ or US-4965782-\$ or US-496136-\$ or US-4965782-\$ or US-5012463-\$ or US-5016240-\$ or US-5012463-\$ or US-5016240-\$ or US-5017414-\$ or US-5056073-\$ or US-5017414-\$ or US-5043967-\$ or US-5202875-\$ or US-5218685-\$ or US-5233576-\$ or US-52141466-\$).did. | USPAT | OR | ON | 2006/06/07 15:38 |
| S3 | 2 | ("20050235095").PN. | US-PGPUB; USPAT; DERWENT; IBM_TDB | OR | OFF | 2006/06/07 16:39 |
| S4 | 462 | (369/53.21).CCLS. | US-PGPUB; USPAT; DERWENT; IBM_TDB | OR | OFF | 2006/06/07 16:55 |
| S5 | 1487 | (711/202).CCLS. | US-PGPUB; USPAT; DERWENT; IBM_TDB | OR | OFF | 2006/06/07 16:43 |
| S6 | 0 | S4 AND S5 | US-PGPUB; USPAT; DERWENT; IBM_TDB | OR | ON | 2006/06/07 16:44 |
| S7 | 945 | (711/203).CCLS. | US-PGPUB; USPAT; DERWENT; IBM_TDB | OR | OFF | 2006/06/07 16:43 |
| S8 | 0 | S4 AND S7 | US-PGPUB; USPAT; DERWENT; IBM_TDB | OR | ON | 2006/06/07 16:44 |

| S12 | 203 | S5 AND S7 | US-PGPUB; USPAT; DERWENT; | OR | ON | 2006/06/07 16:55 |
|-----|------|--|--|----|-----|------------------|
| | | | IBM_TDB | | | |
| S13 | 13 | (logical ADJ block ADJ address\$3 OR LBA\$1) near5 (write ADJ once ADJ read ADJ many OR WORM\$1) | US-PGPUB; USPAT; DERWENT; IBM_TDB | OR | ON | 2006/06/20 17:11 |
| S15 | 13 | ("20040186858" "20050097260" "5218685" "5233576" "5321824" "5475820" "5481691" "5584007" "6000020" "6078990" "6138203" "6330648" "6615330").PN. | US-PGPUB; USPAT; USOCR | OR | ON | 2006/06/20 15:22 |
| S16 | 15 | (logical ADJ block ADJ address\$3 OR LBA\$1) WITH (write ADJ once ADJ read ADJ many OR WORM\$1) | US-PGPUB; USPAT; DERWENT; IBM_TDB | OR | ON | 2006/06/20 16:19 |
| S17 | 20 | (logical ADJ block ADJ address\$3 OR LBA\$1) SAME (write ADJ once ADJ read ADJ many OR WORM\$1) | US-PGPUB; USPAT; DERWENT; IBM_TDB | OR | ON | 2006/06/20 15:34 |
| S18 | 21 | (logical ADJ block ADJ address\$3 OR LBA\$1 OR block ADJ number\$1) WITH (write ADJ once ADJ read ADJ many OR WORM\$1) | US-PGPUB; USPAT; DERWENT; IBM_TDB | OR | ON | 2006/06/20 16:40 |
| S19 | 29 | (logical ADJ block ADJ address\$3 OR LBA\$1 OR block ADJ number\$1) SAME (write ADJ once ADJ read ADJ many OR WORM\$1) | US-PGPUB; USPAT; DERWENT; IBM_TDB | OR | ON | 2006/06/20 16:43 |
| S20 | 4944 | ((write ADJ once ADJ read ADJ many OR WORM\$1) SAME (RW OR rewrit\$4)) OR (read ADJ only near5 (writable OR rewritable)) | US-PGPUB; USPAT; DERWENT; IBM_TDB | OR | ON | 2006/06/20 16:46 |
| 521 | 541 | ((write ADJ once ADJ read ADJ many OR WORM\$1) near5 (RW OR rewrit\$4)) | US-PGPUB; USPAT; DERWENT; IBM_TDB | OR | ON | 2006/06/20 16:46 |
| S22 | 1309 | (711/163).CCLS. | US-PGPUB; USPAT; DERWENT; IBM_TDB | OR | OFF | 2006/06/20 16:49 |
| S23 | 4 | (("4974156") or ("20040065744") or ("20040220959") or ("20060010150")).PN. | US-PGPUB; USPAT | OR | OFF | 2006/06/20 17:24 |
| S24 | 2 | (("5491807") or ("6108285")).PN. | US-PGPUB; USPAT | OR | OFF | 2006/06/20 17:04 |

| S25 | 1052 | (logical ADJ block ADJ (address\$3 OR number\$1) OR LBA\$1 OR block ADJ number\$1 OR (sector near2 (number\$1 OR address\$1))) near5 ((writ\$3 OR stor\$3) near3 (command\$1 OR instruction\$1 OR request\$3)) | US-PGPUB; USPAT; DERWENT; IBM_TDB | OR | ON | 2006/06/20 17:30 |
|-----|------|---|--|----|----|------------------|
| S26 | 96 | S25 WITH (((LBA OR block) near4 (length OR size))) | US-PGPUB; USPAT; DERWENT; IBM_TDB | OR | ON | 2006/06/20 17:27 |
| S27 | 77 | S25 near5 (((LBA OR block) near4 (length OR size))) | US-PGPUB; USPAT; DERWENT; IBM_TDB | OR | ON | 2006/06/20 17:27 |
| S28 | 22 | ((start\$3 OR initial\$2) near3 (logical ADJ block ADJ (address\$3 OR number\$1) OR LBA\$1 OR block ADJ number\$1 OR (sector near2 (number\$1 OR address\$1)))) near5 ((writ\$3 OR stor\$3) near2 (command\$1 OR instruction\$1 OR request\$3)) near5 ((logical ADJ block ADJ (address\$3 OR number\$1) OR LBA\$1 OR block ADJ number\$1 OR (sector near2 (number\$1 OR address\$1))) near3 (length OR size OR amount)) | US-PGPUB; USPAT; DERWENT; IBM_TDB | OR | ON | 2006/06/21 13:46 |
| S29 | 1 | S28 SAME (destination OR (target OR end\$3 OR final OR desir\$3) ADJ (location OR block\$1 OR sector\$1)) | US-PGPUB; USPAT; DERWENT; IBM_TDB | OR | ON | 2006/06/20 17:54 |
| S30 | 10 | S28 AND (destination OR (target OR end\$3 OR final OR desir\$3) ADJ (location OR block\$1 OR sector\$1)) | US-PGPUB; USPAT; DERWENT; IBM_TDB | OR | ON | 2006/06/20 17:54 |
| S31 | 5 | ((writ\$3 OR stor\$3) near2 (command\$1 OR instruction\$1 OR request\$3)) near5 ((write ADJ once ADJ read ADJ many OR WORM\$1 OR read ADJ only OR write ADJ prohibit\$3) ADJ (bit\$1 OR byte\$1)) | US-PGPUB; USPAT; DERWENT; IBM_TDB | OR | ON | 2006/06/21 16:05 |
| S32 | 15 | ((writ\$3 OR stor\$3) near2 (command\$1 OR instruction\$1 OR request\$3)) WITH ((write ADJ once ADJ read ADJ many OR WORM\$1 OR read ADJ only OR write ADJ prohibit\$3) ADJ (bit\$1 OR byte\$1)) | US-PGPUB; USPAT; DERWENT; IBM_TDB | OR | ON | 2006/06/21 14:04 |

| 533 | 24 | ((writ\$3 OR stor\$3) near2 (command\$1 OR instruction\$1 OR request\$3)) SAME ((write ADJ once ADJ read ADJ many OR WORM\$1 OR read ADJ only OR write ADJ prohibit\$3) ADJ (bit\$1 OR byte\$1)) | US-PGPUB; USPAT; DERWENT; IBM_TDB | OR | ON | 2006/06/21 14:15 |
|-----|----|--|--|----|----|------------------|
| S34 | 49 | ("4606016" "4689778" "4760566" "4831611" "4932014" "4937804" "4949326" "5023854" "5060218").PN. OR ("5233576"). URPN. | US-PGPUB; USPAT; USOCR | OR | ON | 2006/06/21 14:25 |
| S35 | 0 | ("2003/0126359").URPN. | USPAT | OR | ON | 2006/06/21 14:45 |
| S36 | 25 | ((write ADJ once ADJ read ADJ many OR WORM\$1)) near5 (EPROM) | US-PGPUB; USPAT; DERWENT; IBM_TDB | OR | ON | 2006/06/21 16:06 |
| S38 | 50 | ((write ADJ once ADJ read ADJ many OR WORM\$1)) near5 (flash) | US-PGPUB; USPAT; DERWENT; IBM_TDB | OR | ON | 2006/06/21 17:43 |
| S40 | 0 | ((write ADJ once ADJ read ADJ many OR WORM\$1) near5 (flash OR EPROM OR PROM)) WITH (seal\$3 OR enclos\$3 OR secure\$1) | US-PGPUB; USPAT; DERWENT; IBM_TDB | OR | ON | 2006/06/21 17:45 |
| S41 | 11 | ((write ADJ once ADJ read ADJ many OR WORM\$1) near5 (flash OR EPROM OR PROM)) SAME (seal\$3 OR enclos\$3 OR secure\$1) | US-PGPUB; USPAT; DERWENT; IBM_TDB | OR | ON | 2006/06/21 17:53 |
| S42 | 9 | (time ADJ stamp\$3 OR date ADJ stamp\$3) near5 (write ADJ once ADJ read ADJ many OR WORM\$1) | US-PGPUB; USPAT; DERWENT; IBM_TDB | OR | ON | 2006/06/21 18:01 |
| S43 | 15 | (time ADJ stamp\$3 OR date ADJ stamp\$3 OR timestamp\$3 OR datestamp\$3) near5 (write ADJ once ADJ read ADJ many OR WORM\$1) | US-PGPUB; USPAT; DERWENT; IBM_TDB | OR | ON | 2006/06/21 18:01 |
| S44 | 2 | ((writ\$3 OR stor\$3) near3 (error\$1 OR fault\$3)) WITH ((rewrit\$3 OR retrying OR retr\$3) near5 (logical ADJ block ADJ (address\$3 OR number\$1) OR LBA\$1 OR block ADJ number\$1 OR (sector near2 (number\$1 OR address\$1)))) | US-PGPUB; USPAT; DERWENT; IBM_TDB | OR | ON | 2006/06/21 18:43 |

| S45 | 15 | ((writ\$3 OR stor\$3) near3 (error\$1 OR fault\$3)) SAME ((rewrit\$3 OR retrying OR retr\$3) near5 (logical ADJ block ADJ (address\$3 OR number\$1) OR LBA\$1 OR block ADJ number\$1 OR (sector near2 (number\$1 OR address\$1)))) | US-PGPUB; USPAT; DERWENT; IBM_TDB | OR | ON | 2006/06/22 07:59 |
|-----|----|--|--|----|----|------------------|
|-----|----|--|--|----|----|------------------|

6/22/2006 8:58:48 AM C:\Documents and Settings\mkrofcheck\My Documents\EAST\Workspaces\10825146.wsp Page 6